

## 6 REFERENCES

American Planning Association. 2006. Planning and Urban Design Standards. John Wiley & Sons, Inc. Hoboken, New Jersey.

Bicknell, Brian R., Imhoff, John C., Kittle Jr., John L., Jobs, Thomas H., Donigian Jr., Anthony S. 2005. "HSPF Version 12.2 User's Manual", Aqua Verra Consultants, Mountain View, CA. 94043.

Booth, Derek Direct Testimony. 2008. Pollution Control Hearings Board for the State of Washington, Puget Soundkeeper Alliance and People for Puget Sound; Pierce County Public Works and Utilities Department; City of Tacoma; The Port of Seattle; Snohomish County; Clark County; and Pacificorp and Puget Sound Energy, Appellants, vs. Department of Ecology, Respondent, and King County; City of Seattle; Port of Tacoma, and Washington State Department of Transportation, Intervenors, August 2008.

Galli, John. 1991. Thermal Impacts Associated with Urbanization and Stormwater Best Management Practices in Maryland, Anacostia Restoration Team for the Maryland Department of the Environment, Washington, DC.

Bureau of Environmental Services, City of Portland OR. 1999. Stormwater Management Manual. Chapter 2: Stormwater Management Facility Design. Retrieved from <http://www.portlandonline.com/bes/index.cfm?a=55791&c=35122>.

CAPT Robin Brake. 2008. Photo of Green Roof at the Pentagon Remote Delivery Facility. Office Deputy Assistant Secretary of the Navy, Environment Director Marine Science, 10 June 2008 Retrieved from [http://www.fedcenter.gov/\\_kd/go.cfm?destination=ShowItem&Item\\_ID=10244](http://www.fedcenter.gov/_kd/go.cfm?destination=ShowItem&Item_ID=10244).

Chino, Mike. 2008. The New Green California Academy of Sciences Unveiled! Retrieved from <http://inhabitat.com/california-academy-of-sciences-unveiled/>.

City of Saugatuck, MI. Photo of subsurface infiltration bed. Permission obtained via personal communication October 2011. Retrieved from <http://library.semcog.org/InmagicGenie/DocumentFolder/LIDManualWeb.pdf>.

Claytor, R., and T. Schueler. 1996. Design of Stormwater Filtering Systems. The Center for Watershed Protection. Silverspring, Maryland. P 6-1, 6-14.

Coffman, Larry S. 2008. Photos of Bioretention. Permission obtained through personal communication. September 2011. Retrieved from [http://www.water.rutgers.edu/Rain\\_Gardens/RainGardenSymp/1\\_coffman.pdf](http://www.water.rutgers.edu/Rain_Gardens/RainGardenSymp/1_coffman.pdf) and [http://www.texaslid.org/pdfs/AP\\_Coffman%20Bioretention.pdf](http://www.texaslid.org/pdfs/AP_Coffman%20Bioretention.pdf).

Dunne, T. and L. B. Leopold. 1978. *Water in Environmental Planning*. W. H. Freeman: New York, pp.1-818.

Federal Interagency Stream Restoration Working Group (FISRWG). 1998. *Stream Corridor Restoration: Principles, Processes, and Practices*. GPOJ Item No. 0120-A; SuDocs No. A 57.6/2 EN3/PT.653. ISVN-0-934213-59-3.

Federal Legislation. (2007). *Energy Independence and Security Act (EISA)*. Retrieved from [http://frwebgate.access.gpo.gov/cgi-bin/getdoc.cgi?dbname=110\\_cong\\_bills&docid=f%3Ah6enr.txt.pdf](http://frwebgate.access.gpo.gov/cgi-bin/getdoc.cgi?dbname=110_cong_bills&docid=f%3Ah6enr.txt.pdf).

Garner, Birtice A. IV, The University of Georgia College of Environment and Design. Photo of Watershed Inventory of Natural Features. Permission obtained via personal communication September 2011. Retrieved from <http://birtice.com/site-inventory-and-analysis.html>.

Hawkins Partners, Inc. 2009. EPA to Test Porous Pavement and Raingarden Benefits. Permission obtained from Will Mark on September 2011. Retrieved from <http://hpigreen.com/2009/11/>.

Horton, R.E. 1933. The Role of Infiltration in the Hydrologic Cycle. *Trans. AGU, 14th Ann. Mtg.*, p. 446–460.

InSite Design Studio. Photo of a Schematic of a Typical Level Spreader. Permission obtained via personal communication October 2011. Retrieved from <http://library.semco.org/InmagicGenie/DocumentFolder/LIDManualWeb.pdf>.

International Code Council, Inc. (ICC). 2009. *ICC International Energy Conservation Code® (IECC)*. ICC, Country Club Hills, IL.

Interlocking Concrete Pavement Institute. 2010. *Permeable Pavers: What is Permeable Interlocking Pavement?* Retrieved from <http://www.icpi.org/node/553>

Kohler, M.A., T.J. Nordenson, and D.R. Baker. 1959. *Evaporation maps for the United States*. U.S. Weather Bureau Technical Paper 37.

Kosmowski, Christine. Environmental Programs Coordinator, City of Battle Creek, MI. Photo of a Level Spreader Used in Storm Drain Project. Permission obtained via personal communication September 2011. Retrieved from <http://library.semco.org/InmagicGenie/DocumentFolder/LIDManualWeb.pdf>.

Lemoine, Randel. 2011. “A Hydrology Model for Mimicking Pre and Post Development Runoff Volumes”, *Proceedings of the 2011 Georgia Water Resources Conference*, Athens GA.  
Low Impact Development Center, Inc. 2011. “Volume Based Stormwater Management Guidance”, Beltsville, MD.

Low Impact Design Studio. 2010. Low Impact Development Technologies. Retrieved from <http://www.wbdg.org/resources/lidtech.php#lidt>.

Marywood Campus, Dominican Sisters, Grand Rapids, MI. Photo of native Prairie Vegetation in Natural Flow Pathway Permission obtained through communication with Karen Bidwell. September, 2011.

Low Impact Development Center, Inc. 2011. "Volume Based Stormwater Management Guidance", Beltsville, MD (under construction).

National Research Council. 2008. Urban Stormwater Management in the United States. The National Academies Press, Washington, DC. 20250.

New York State Department of Environmental Conservation (DEC). Latham Business Park Wet Swale. Retrieved from <http://www.dec.ny.gov/lands/59310.html>.

Parker, Tony. 2007. Classic Landscapes. Revisit a Project. Retrieved from <http://www.classiclandscapesnc.com/project-revisit.asp>

Pennsylvania Department of Environmental Protection (PA DEP), Bureau of Watershed Management. 2006. Pennsylvania Stormwater Best Management Practices Manual. Retrieved from <http://www.elibrary.dep.state.pa.us/dsweb/View/Collection-8305>.

Philadelphia Water Department. Photo of a Pervious Pavement Basketball Court. Permission and photograph obtained through personal communication with Stephanie Chiorean September 2011.

Pokagon Band of Potawatomi Indians. Photo of Permeable Concrete Pave Street in Dowagiac, MI. Permission obtained from Wade Hawes via personal communication October 2011. Retrieved from <http://library.semcog.org/InmagicGenie/DocumentFolder/LIDManualWeb.pdf>

Ponce, Victor Miguel. 1989. "Engineering Hydrology – Principles and Practices", Prentice Hall, Englewood Cliffs, New Jersey.

Prince George's County, MD. 1999. Low-Impact Development Design Strategies: An Integrated Design Approach. Retrieved from <http://www.epa.gov/owow/NPS/lidnatl.pdf>.

Prince George's County, MD. 1993. *Design Manual for Use of Bioretention in Stormwater Management*. Prince George's County, MD Department of Environmental Protection. Watershed Protection Branch, Landover, MD.

Prince George's County, MD Department of Environmental Resources. Photo of Downspout Disconnection into a Vegetated Area. Permission obtained through personal communication September 2011. Retrieved from <http://www.werf.org/livablecommunities/toolbox/downspout.htm>.

Pudget Sound Action Team and Washington State University Pierce County Extension. 2005. Low Impact Development Technical Guidance Manual for Pudget Sound. Retrieved from [www.psp.wa.gov/downloads/LID/LID\\_manual2005.pdf](http://www.psp.wa.gov/downloads/LID/LID_manual2005.pdf).

Rossman, Lewis A. 2010. "Storm Water Management Model User's Manual Version 5.0", EPA/600/R-05/040, U.S. Environmental Protection Agency (EPA), Cincinnati OH. 45268.

Schueler, T. and M. Helfrich. 1988. "Design of Wet Extended Detention Pond Systems," *Design of Urban Runoff Controls*, L. Roesner and B. Urbonas eds., American Society of Civil Engineers, New York, NY.

SEMCOG, the Southeast Michigan Council of Governments. 2008. Low Impact Development Manual for Michigan. Permission for photos obtained through personal communication with Glenda Marks, September 2011. Retrieved from <http://library.semcog.org/InmagicGenie/DocumentFolder/LIDManualWeb.pdf>.

Shaver, E., R. Horner, J. Skupien, C. May, and G. Ridley. 2007. Fundamentals of Urban Runoff Management: Technical and Institutional Issues – 2nd Edition, North American Lake Management Society, Madison, WI.

Skabelund, Lee. 2006. Kansas State University. Photo of a Level Spreader Dispersing into a Wetland Area. Permission obtained through personal communication September 2011. Retrieved from <http://www.asla.org/ppn/article.aspx?id=1374>

Southwestern Illinois Resource Conservation and Development, Inc. 2006. Conservation Subdivision Design Handbook. Retrieved from <http://www.swircd.org/pdf/conservation%20subdivision%20design%20handbook.pdf>.

Thibaudeau, Steve. 2010. U.S. Corps of Engineers. The Importance of LID at USACE. Retrieved from <http://posts.same.org/kentuckiana/Presentation%201%20--%20USACE.pdf>

US Army. 2010. Assistant Secretary of Army (Installations, Energy & Environment) Policy Memo, Sustainable Design and Development Policy Update (Environmental and Energy Policy), 27 Oct 2010 (para 5f). Retrieved from [https://eko.usace.army.mil/\\_temp/6744A846-188B-313F-1B4C818188BC6FBA/Sustainable\\_Design\\_and\\_Dev\\_Policy\\_Update.pdf](https://eko.usace.army.mil/_temp/6744A846-188B-313F-1B4C818188BC6FBA/Sustainable_Design_and_Dev_Policy_Update.pdf)

US Army. 1988. Army Regulation 200-2. Environmental Quality: Environmental Effects of Army Actions. Retrieved from [http://www.sustainability.army.mil/resources/libdocs\\_regulatory/army\\_regulations/AR%20200\\_2%2023%20Dec%201988.pdf](http://www.sustainability.army.mil/resources/libdocs_regulatory/army_regulations/AR%20200_2%2023%20Dec%201988.pdf).

US Army Corps of Engineers (USCOE). 2008. Public Works Technical Bulletin 200-1-62. Low Impact Development for Sustainable Installations: Stormwater Design and Planning Guidance for Development Within Army Training Areas. Retrieved from [http://www.wbdg.org/ccb/ARMYCOE/PWTB/pwtb\\_200\\_1\\_62.pdf](http://www.wbdg.org/ccb/ARMYCOE/PWTB/pwtb_200_1_62.pdf).

US Department of Agriculture (USDA), National Resources Conservation Service. No Date. Success Stories: Buffer Bonus from Bear Creek. Retrieved from <http://www.ia.nrcs.usda.gov/news/successstories/successstories.html>.

US Department of Agriculture (USDA). 2009. "Small Watershed Hydrology – WinTR-55 User's Guide", Natural Resources Conservation Service (NRCS), Conservation Engineering Division, Washington DC.

US Department of Defense (DoD). 2010. Unified Facilities Criteria (UFC): Low Impact Development. UFC 3-210-10. Retrieved from [http://www.wbdg.org/ccb/DOD/UFC/ufc\\_3\\_210\\_10.pdf](http://www.wbdg.org/ccb/DOD/UFC/ufc_3_210_10.pdf).

DoD. 2012. Unified Facilities Criteria (UFC): Installation Master Planning. UFC 2-100-01. Retrieved from [http://www.wbdg.org/ccb/DOD/UFC/ufc\\_2\\_100\\_01.pdf](http://www.wbdg.org/ccb/DOD/UFC/ufc_2_100_01.pdf).

DoD. 2004. Unified Facilities Criteria (UFC): Area Planning, Site Planning, and Design. UFC 3-210-01A. [http://www.wbdg.org/ccb/DOD/UFC/ufc\\_3\\_210\\_01a.pdf](http://www.wbdg.org/ccb/DOD/UFC/ufc_3_210_01a.pdf)

US Environmental Protection Agency (USEPA). 2011. Stormwater Management Techniques in Use at EPA Headquarters. Retrieved from [http://www.epa.gov/oaintrnt/stormwater/hq\\_stormwater\\_techniques.htm](http://www.epa.gov/oaintrnt/stormwater/hq_stormwater_techniques.htm).

US EPA 2010. Stormwater Management at EPA Headquarters. Retrieved from [http://www.epa.gov/owow/NPS/lid/stormwater\\_hq/](http://www.epa.gov/owow/NPS/lid/stormwater_hq/).

US EPA. 2009. Technical Guidance on Implementing the Stormwater Runoff Requirements for Federal Projects under Section 438 of the Energy Independence and Security Act. Retrieved from [http://www.epa.gov/oaintrnt/documents/epa\\_swm\\_guidance.pdf](http://www.epa.gov/oaintrnt/documents/epa_swm_guidance.pdf).

US EPA 2007a. National Pollutant Discharge Elimination System (NPDES), Stormwater Program. Retrieved from [http://cfpub.epa.gov/npdes/home.cfm?program\\_id=6](http://cfpub.epa.gov/npdes/home.cfm?program_id=6).

US EPA 2006. Reducing Stormwater Costs through LID Strategies and Practices. Retrieved from <http://www.epa.gov/owow/NPS/lid/costs07/>

US EPA. 2003a. Washington, D.C. "Protecting Water Quality from Urban Runoff." Document No. EPA 841-F-03-003. Retrieved from [http://www.epa.gov/npdes/pubs/nps\\_urban-facts\\_final.pdf](http://www.epa.gov/npdes/pubs/nps_urban-facts_final.pdf).

US EPA, 2003b. National Pollutant Discharge Elimination System: State Program Status. Retrieved from <http://cfpub.epa.gov/npdes/statestats.cfm>.

US Green Building Council (USGBC), 2011. About USGBC. Retrieved from [www.usgbc.org/about](http://www.usgbc.org/about).

US Geological Survey (USGS) 2011. USGS Real-Time Water Data for the Nation. Created from <http://waterdata.usgs.gov/nwis/rt>.

USGS. 1986. Average Runoff, 1951-1980. Retrieved from [http://www.unl.edu/nac/atlas/Map\\_Html/Clean\\_Water/National/Average\\_Annual\\_Runoff/Average\\_Annual\\_Runoff.htm](http://www.unl.edu/nac/atlas/Map_Html/Clean_Water/National/Average_Annual_Runoff/Average_Annual_Runoff.htm)

U.S. Office of the President. 2009. Federal Leadership in Environmental, Energy, and Economic Performance. Executive Order 13514. Federal Register, vol 74, No. 194, <http://edocket.access.gpo.gov/2009/pdf/E9-24518.pdf>.

U.S. Office of the President. 2007. Strengthening Federal Environmental, Energy, and Transportation Management. Executive Order 13423. Federal Register, vol 72, No. 17, <http://edocket.access.gpo.gov/2007/pdf/07-374.pdf>.

Wayne County, MI Department of Public Works, Water Quality Management Division. Photos of a Two Chambered Sand Filter and a Vegetated Filter Strip. Permission obtained from Kelly Cave, September 2011. Retrieved from the SEMCOG LID Manual [http://www.semcog.org/uploadedfiles/Programs\\_and\\_Projects/Water/Stormwater/LID/lid\\_manual\\_intro.pdf](http://www.semcog.org/uploadedfiles/Programs_and_Projects/Water/Stormwater/LID/lid_manual_intro.pdf).

Western Michigan University. Photo of Protection of Existing Native Woodlands and Wetlands. Permission obtained via personal contact November 2011 from David Dakin. Retrieved from <http://www.semcog.org/Data/lid.report.cfm?lid=141>.