DRAWING ABBREVIATIONS

A	----------
A LABEL	CLASS A DOOR
A/C	AIR CONDITION
A/C UNIT	AIR CONDITIONING UNIT
A/E	ARCHITECT/ENGINEER
AB	ANCHOR BOLT
ACC	ACCESSIBLE
ACS	AUTOMATIC CONTROL SYSTEM
ACS DR	ACCESS DOOR
ACS PNL	ACCESS PANEL
ACT	ACOUSTICAL CEILING TILE
ADA	AMERICANS WITH DISABILITIES ACT
ADMIN	ADMINISTRATION
AFC	ABOVE FINISHED COUNTER
AFF	ABOVE FINISHED FLOOR
AFG	ABOVE FINISHED GRADE
AFS	ABOVE FINISHED SLAB
AGGR	AGGREGATE
AHU	AIR HANDLING UNIT
AIB	AIR INFILTRATION BARRIER
ALT	ALTERNATE
ALUM	ALUMINUM
ANOD	ANODIZE
APC	ACOUSTICAL PANEL CEILING
APPROX	APPROXIMATE
AR	AS REQUIRED
ARCH	ARCHITECT
ASC	ABOVE SUSPENDED CEILING
ASSY	ASSEMBLY
ATC	ACOUSTICAL TILE CEILING
AVG	AVERAGE
AW	ARCHITECTURAL WOODWORK
AWT	ACOUSTICAL WALL TREATMENT
B	----------
B LABEL	CLASS B DOOR
BALC	BALCONY
BB	BASEBOARD
BC	BOOKCASE
BD	BOARD
BDRY	BOUNDARY
BFF	BELOW FINISH FLOOR
BHMA	BUILDER'S HARDWARE MANUFACTURER'S ASSOCIATION
BLDG	BUILDING
BLKG	BLOCKING
BLT IN	BUILT-IN
BN	BULLNOSE
BOS	BOTTOM OF STEEL
BOT	BOTTOM
BP	BUILDING PAPER
BRKT	BRACKET
BSMT	BASEMENT
BTWN	BETWEEN
BUR	BUILT-UP ROOFING
C	----------
C CONC	CAST CONCRETE
C LABEL	CLASS C DOOR
CAB	CABINET
CATW	CATWALK
CAV	CAVITY
CBB	CEMENTITIOUS (BACKER) BOARD
CD	CONSTRUCTION DOCUMENTS
CDW	CHILLED DRINKING WATER
CEM PLAS	CEMENT PLASTER
CER	CERAMIC
CF	CONTRACTOR FURNISHED
CFICI	CONTRACTOR FURNISHED/CONTRACTOR INSTALLED
CFE	CONTRACTOR FURNISHED EQUIPMENT
CFLG	COUNTERFLASHING
CFM	CUBIC FEET PER MINUTE
CFMF	COLD-FORMED METAL FRAMING
CFS	CUBIC FEET PER SECOND
CG	CORNER GUARD
CI	CAST IRON
CIP	CAST-IN-PLACE
CJ	CONTROL JOINT
CL	CENTER LINE
CLG	CEILING
CLG DIFF	CEILING DIFFUSER
CLG HT	CEILING HEIGHT
CLL	COLUMN LINE
CLO	CLOSET
CLR	COLOR
CLRM	CLASSROOM
CMU	CONCRETE MASONRY UNIT
CNDS	CONDENSATE
CDR	CARD READER
CO	CLEANOUT
COL	COLUMN
COMM	COMMUNICATION
CONC	CONCRETE
CONC FLR	CONCRETE FLOOR
CONF	CONFERENCE
CONT	CONTINUE
COORD	COORDINATE
CORR	CORRIDOR
CP	CONCRETE PIPE
CPT	CARPET
CR	CONTROL ROOM
CS	CAST STONE
CSWK	CASEWORK
CT	CERAMIC TILE
CTB	CERAMIC TILE BASE
CTF	CERAMIC TILE FLOOR
CTR	CENTER
CU FT	CUBIC FEET
CW	CASEMENT WINDOW
D	----------
D	DEPTH
D LABEL	CLASS D DOOR
DBL	DOUBLE
DEMO	DEMOLITION
DEPT	DEPARTMENT
DET	DETAIL
DIA	DIAMETER
DIR	DIRECTION
DIST	DISTANCE
DOC	DOCUMENT
DR	DOOR
DS	DOWNSPOUT
E	----------
E LABEL	CLASS E DOOR
EA	EACH
EF	EACH FACE
EIFS	EXTERIOR INSULATION AND FINISH SYSTEM
EJ	EXPANSION JOINT
ES	EACH SIDE
EL	ELEVATION
ELEV	ELEVATOR
ENTR	ENTRANCE
EPS	EXPANDED POLYSTYRENE BOARD (INSULATION)
EQ	EQUAL
EWC	ELECTRIC WATER COOLER
EXP	EXPOSED
EXT	EXTERIOR
EXT	EXTINGUISHER
EXT GR	EXTERIOR GRADE
GB	GRAB BAR
GFCI	GOVERNMENT FURNISHED CONTRACTOR INSTALLED
GFGI	GOVERNMENT INSTALLED FURNISHED INSTALLED BY GOVERNMENT
GFRG	GLASS-FIBER-REINFORCED GYPSUM
GLZ	GLAZING
GR FL	GROUND FLOOR
GUT	GUTTER
GYP BD	GYPSUM BOARD
GYP PLAS	GYPSUM PLASTER
H	----------
HB	HOSE BIBB
HDPE	HIGH DENSITY POLYETHYLENE
HDW	HARDWARE
HDWD	HARDWOOD
HEPA	HIGH EFFICIENCY PARTICULATE AIR (FILTER)
HM	HOLLOW METAL
HMD	HOLLOW METAL DOOR
HORIZ	HORIZONTAL
HT	HEIGHT
HYDR	HYDRAULIC
F	----------
FA	FIRE ALARM
FAAP	FIRE ALARM ANNUNCIATOR PANEL
FAS BD	FASCIA BOARD
FC BRK	FACE BRICK
FCO	FLOOR CLEANOUT
FD	FLOOR DRAIN
FDTN	FOUNDATION
FE	FIRE EXTINGUISHER
FEC	FIRE EXTINGUISHER CABINET
FED	FEDERAL
FF	FINISH FACE
FF EL	FINISH FLOOR ELEVATION
FF INSUL	FOIL BACKED INSULATION
FGL	FIBERGLASS
FH	FIRE HOSE
FHP	FULL HEIGHT PARTITION
FIN	FINISH
FIN BS	FINISH BOTH SIDES
FIN FLR	FINISH FLOOR
FIN GR	FINISH GRADE
FIXT	FIXTURE
FLDG	FOLDING
FLEX	FLEXIBLE
FLG	FLOORING
FLMT	FLUSH MOUNT
FLR	FLOOR
FM	FACTORY MUTUAL
FOC	FACE OF CONCRETE
FOM	FACE OF MASONRY
FR	FIRE RESISTANT
FRG	FIBER REINFORCED GYPSUM
FRMG	FRAMING
FRP	FIBERGLASS REINFORCED PLASTIC
FRTW	FIRE RETARDANT TREATED WOOD
FS	FEDERAL SPECIFICATION
FSTNR	FASTENER
FT	FEET
FTG	FOOTING
FWC	FABRIC WALLCOVERING
G	----------
G	NATURAL GAS
GALV	GALVANIZED
GB	GRAB BAR
GFCI	GOVERNMENT FURNISHED CONTRACTOR INSTALLED
GFGI	GOVERNMENT INSTALLED FURNISHED INSTALLED BY GOVERNMENT
GFRG	GLASS-FIBER-REINFORCED GYPSUM
GLZ	GLAZING
GR FL	GROUND FLOOR
GUT	GUTTER
GYP BD	GYPSUM BOARD
GYP PLAS	GYPSUM PLASTER
H	----------
HB	HOSE BIBB
HDPE	HIGH DENSITY POLYETHYLENE
HDW	HARDWARE
HDWD	HARDWOOD
HEPA	HIGH EFFICIENCY PARTICULATE AIR (FILTER)
HM	HOLLOW METAL
HMD	HOLLOW METAL DOOR
HORIZ	HORIZONTAL
HT	HEIGHT
HYDR	HYDRAULIC
I	----------
IBC	INTERNATIONAL BUILDING CODE
INSUL	INSULATION
INT	INTERIOR
ILO	IN LIEU OF
J	----------
JAN	JANITOR
K	----------
KPD	KEYPAD
KIT	KITCHEN
KPL	KICKPLATE
L	----------
LAM	LAMINATE
LAV	LAVATORY
LBR	LUMBER
LBS	POUND
LDG	LANDING
LF	LINEAR FEET (FOOT)
LIB	LIBRARY
LIN	LINEAR
LKR	LOCKER
LOC	LOCATION
LT	LIGHT
LVDR	LOUVER DOOR
LVR	LOUVER
M	----------
MACH RM	MACHINE ROOM
MATL	MATERIAL
MAX	MAXIMUM
MC	MOISTURE CONTENT
MD	METAL DECK
MECH	MECHANICAL
MECH RM	MECHANICAL ROOM
MEMB	MEMBRANE
MF	MILL FINISH
MFR	MANUFACTURER
MID	MIDDLE
MIL STD	MILITARY STANDARD
MIN	MINIMUM, MINUTE
MIRR	MIRROR
MISC	MISCELLANEOUS
MLDG	MOLDING (MOULDING)
MO	MASONRY OPENING
MOD	MODIFY
MB	MOISTURE BARRIER
MTG	MOUNTING
MTL	METAL
MVBL	MOVABLE
MWP	MEMBRANE WATERPROOFING
N	----------
N	NORTH
NA	NOT APPLICABLE
NFPA	NATIONAL FIRE PROTECTION ASSOCIATION
NIC	NOT IN CONTRACT
NO	NUMBER
NOM	NOMINAL
NP	NO PAINT
NRC	NOISE REDUCTION COEFFICIENT
NTS	NOT TO SCALE
O	----------
OA	OVERALL
OC	ON CENTER
OD	OUTSIDE DIAMETER
OFD	OVERFLOW DRAIN
OFF	OFFICE
OGL	OBSCURE GLASS
OPH	OPPOSITE HAND
OPNG	OPENING
OPP	OPPOSITE
OPQ	OPAQUE
OWSJ	OPEN WEB STEEL JOIST
OPR	OPERABLE
ORD	OVERFLOW ROOF DRAIN
ORIG	ORIGINAL
P	----------
PA	PUBLIC ADDRESS
PAR	PARAPET
PAT	PATTERN
PB	PULL BOX
PBD	PARTICLEBOARD
PCC	PRECAST CONCRETE
PCF	POUNDS PER CUBIC FOOT
PCT	PERCENT
PERF	PERFORATED
PERIM	PERIMETER
PH	PHASE
PIL	PILASTER
PL	PROPERTY LINE
PL GL	PLATE GLASS
PLAM	PLASTIC LAMINATE
PLAS	PLASTER
PLBG	PLUMBING
PLG	PILING
PLYWD	PLYWOOD
PNL	PANEL
PP PL	PUSHPULL PLATE
PR	PAIR
PRCST	PRECAST
PRKG	PARKING
PS CONC	PRESTRESSED CONCRETE
PSF	POUNDS PER SQUARE FOOT
PSI	POUNDS PER SQUARE INCH
PT	PRESSURE TREATED
PTD	PAPER TOWEL DISPENSER
PTDR	PAPER TOWEL DISPENSER AND RECEPTACLE
PTN	PARTITION
PWR	POWER
Q	----------
QT	QUARRY TILE
QTY	QUANTITY
R	----------
RB	RESILIENT BASE
RBM	REINFORCED BRICK MASONRY
RBR	RUBBER
RC	REINFORCED CONCRETE
RCP	REFLECTED CEILING PLAN
RD	ROOF DRAIN
RDG INS	RIGID INSULATION, SOLID
REC	RECESSED
REC ROOM	RECREATION ROOM
REF	REFERENCE
REM	REMOVABLE
REP	REPAIR
REPL	REPLACE
REQ	REQUIRE
REQD	REQUIRED
RESIL	RESILIENT
REST	RESTROOM
RF	RESILIENT FLOORING
RFG	ROOFING
RH	ROOF HATCH
RHR	RIGHT HAND REVERSE
RL	ROOF LEADER
RLG	RAILING
RM	ROOM
RO	ROUGH OPENING
RSD	ROLLING STEEL DOOR
RV	ROOF VENT
RVL	REVEAL
S	----------
SB	SPLASH BLOCK
SCHED	SCHEDULE
SD	SMOKE DETECTOR
SF	SQUARE FOOT (FEET)
SFTWD	SOFTWOOD
SGL	SINGLE
SHT MTL FLASH	SHEET METAL (FLASHING)
SHTHG	SHEATHING
SHV	SHELVING
SIM	SIMILAR
SJ	SCORED JOINT
SKLT	SKYLIGHT
SLNT	SEALANT
SMK	SMOKE
SMLS	SEAMLESS
SP EL	SPOT ELEVATION
SPEC	SPECIFICATION
SQ	SQUARE
SQ IN	SQUARE INCH
SQ YD	SQUARE YARD
SST	STAINLESS STEEL
ST	STAIRS
STD	STANDARD
STL JST	STEEL JOIST
STL RF DK	STEEL ROOF DECK
STOR	STORAGE
STR	STRINGERS
STRB/HRN	STROBE/HORN
SUB FL	SUBFLOOR
SV	SHEET VINYL
SW	SIDEWALK
T	----------
T	TREAD
T/S	TUB/SHOWER
TC	TERRA COTTA
TD	TRENCH DRAIN
TEL	TELEPHONE
TEMP	TEMPORARY
TER	TERRAZZO
TFF	TOP OF FINISH FLOOR
THK	THICKNESS
TK BD	TACKBOARD
TMPD GL	TEMPERED GLASS
TN	TRUE NORTH
TOF	TOP OF FOOTING
TOM	TOP OF MASONRY
TOP	TOP OF PARAPET
TOPO	TOPOGRAPHY
TOS	TOP OF SLAB
TRANS	TRANSOM
TRTD	TREATED
TV	TELEVISION

GENERAL NOTES

1. CONSTRUCTION SHALL COMPLY WITH CURRENT INTERNATIONAL BUILDING CODE 2012, NFPA 101 STANDARDS AND REGULATIONS, AND APPLICABLE UFC STANDARDS.
2. CONSTRUCTION OF WORK INDICATED ON THE DRAWINGS AS (N.I.C.) IS NOT IN CONTRACT.
3. ALL WORK SHALL BE OF BEST PRACTICE OF EACH TRADE.
4. DETAILS NOT SHOWN ARE SIMILAR IN NATURE TO THOSE DETAILED. WHERE SPECIFIC DIMENSIONS, DETAILS OR DESIGN INTENT CANNOT BE DETERMINED, CONSULT USACE BEFORE PROCEEDING WITH THE WORK. TYPICAL DETAILS APPLY AT ALL SIMILAR CONDITIONS WHETHER CROSS REFERENCED OR NOT.
5. DIMENSIONS SHOWN ON FLOOR PLANS ARE TO THE FACE OF SCHEDULED PARTITIONS (FOP), FACE OF MASONRY (FOM), FACE OF CONCRETE (FOC), CENTER-LINE OF DOOR OPENING AND COLUMN GRID LINES UNLESS NOTED OTHERWISE. REFER TO INTERIOR ELEVATIONS AND DETAILS FOR ADDITIONAL LAYERS OF FINISH GYPSUM, BOARD, TILE, WOOD, OR OTHER SCHEDULED FINISH MATERIALS.
6. VERIFY DIMENSIONS IN FIELD BEFORE PROCEEDING WITH THE WORK. NOTIFY USACE OF DISCREPANCIES, CONFLICTS, AND MODIFICATIONS.
7. DO NOT SCALE DRAWINGS. WHERE DIMENSIONS OR EXACT LOCATIONS ARE REQUIRED AND NOT INCLUDED ON THE DRAWINGS, REQUEST INFORMATION FROM USACE.
8. WHERE GYPSUM BOARD LAYERS DIFFER BETWEEN TWO ADJOINING WALLS, MAINTAIN A CONTINUOUS FINISH FACE OF WALL.
9. ELECTROLYTIC PROTECTION SHALL BE PROVIDED BETWEEN DISSIMILAR METALS WHENEVER THE TWO ARE IN CONTACT.
10. OPEN EXTERIOR JOINTS AROUND WINDOW AND DOOR FRAMES, BETWEEN WALLS AND FOUNDATIONS, BETWEEN WALLS AND ROOF, BETWEEN WALL PANELS, AT PENETRATIONS OF UTILITIES THROUGH THE BUILDING ENVELOPE SHALL BE SEALED, FLASHED OR WEATHER-STRIPPED AT REQUIRED FOR COMPATIBILITY WITH ADJACENT MATERIALS TO ELIMINATE AIR LEAKAGE & WATER INFILTRATION.
11. GLAZING IDENTIFIED IN APPLICABLE CODES SHALL BE SAFETY GLAZING MATERIAL. EACH LIGHT OF LAMINATED OR TEMPERED GLAZING SHALL BE IDENTIFIED BY A PERMANENT LABEL, WHICH SPECIFIES THE LABELER, OR MANUFACTURER AND THAT SAFETY GLAZING MATERIAL HAS BEEN UTILIZED.
12. CEILING HEIGHT DIMENSIONS ARE FROM DESIGNATED FINISHED FLOOR SURFACE TO FINISHED CEILING SURFACES UNLESS NOTED OTHERWISE.
13. PROVIDE PROPER ANCHORAGE OF ESSENTIAL EQUIPMENT IN ACCORDANCE WITH APPLICABLE CODES.
14. PROVIDE ACCESS PANELS FOR MECHANICAL AND ELECTRICAL EQUIPMENT AS REQUIRED BY APPLICABLE CODES.
15. PROVIDE AND INSTALL ALL STIFFENERS, BRACING, BACK-UP PLATES AND SUPPORTING BRACKETS FOR REQUIRED MINIMUM LATERAL AND VERTICAL FORCES OF ALL TOILET/RESTROOM ACCESSORIES AND PARTITIONS AND ALL WALL MOUNTED OR SUSPENDED MECHANICAL, ELECTRICAL OR MISCELLANEOUS EQUIPMENT, SHELVING AND CASEWORK IN ACCORDANCE WITH APPLICABLE CODES.

SYMBOLS



US Army Corps of Engineers ®
FT WORTH DISTRICT

MARK	DESCRIPTION	DATE	APPR.

ISSUE DATE: APRIL 26, 2013
SOLICITATION NO.: -
CONTRACT NO.: W912BG-11-D-0034-0004
FILE NUMBER:
DESIGN BY: MJB
CKD BY: MKP
PLOT DATE: 8/26/2014 3:35:09 PM
DRAWN BY: MJB
SBMT BY: MJM
PLOT SCALE: As indicated
FILE NAME:
SIZE: 22" x 34"

US ARMY CORPS OF ENGINEERS
FT WORTH DISTRICT
TEXAS

TENG
205 N MICHIGAN AVE
SUITE 2300
CHICAGO, IL 60601
T 312.616.7500
www.tengcorp.com
PROJ NO: CH-00810254-A0

exp federal

CENTRAL ISSUE FACILITY STD DESIGN
CIF - LARGE
CLIMATE ZONE 6A
ARCHITECTURAL
GENERAL NOTES,
ABBREVIATIONS AND SYMBOLS

SHEET IDENTIFICATION
A-001
SHEET OF 0

ARCHITECTURAL A-001-



PLAN NORTH

1 A-100 FIRST FLOOR PLAN

1" = 20'-0"

0 10' 20' 40' 60'



KEY PLAN

US Army Corps of Engineers ®
FT WORTH DISTRICT

MARK	DESCRIPTION	DATE	APPR

ISSUE DATE: APRIL 26, 2013
SOLICITATION NO.: -
CONTRACT NO.: W9126G-11-D-0034-0004
FILE NUMBER:
DESIGN BY: MJB
DRAWN BY: MJB
CKD BY: MKP
SBMT BY: MJM
PLOT DATE: 8/26/2014 3:35:14 PM
PLOT SCALE: 1" = 20'-0"
SIZE: 22" x 34"
FILE NAME:

US ARMY CORPS OF ENGINEERS
FT WORTH DISTRICT
TEXAS

TENG
exp federal

205 N MICHIGAN AVE.
SUITE 3800
CHICAGO, IL 60601
T: 312.616.7500
www.expfederal.com
PROJ NO: CHI-000162564-00

CENTRAL ISSUE FACILITY STD DESIGN
CIF - LARGE
CLIMATE ZONE 6A
ARCHITECTURAL
FIRST FLOOR PLAN

SHEET IDENTIFICATION
A-100
SHEET OF 0

ARCHITECTURAL A-100-

GENERAL NOTES:

1. REFER TO ALL OTHER CONTRACT DOCUMENTS FOR ASSOCIATED WORK AND COORDINATION.
2. ROOF DRAINAGE PATTERNS ARE SCHEMEATIC. CONTRACTOR TO VERIFY FIELD CONDITIONS PRIOR TO PREPERATION OF INSTALATION DRAWINGS.
3. CONTRACTOR TO VERIFY ALL DIMENSIONS AND FIELD CONDITIONS.
4. PROVIDE SHOP DRAWINGS FOR ALL FIELD CONDITIONS.

KEYNOTES:

A. EPDM ROOF SYSTEM -
- VAPOR RETARDER OVER 5/8" SUBSTATE FULLY ADHERED TO TO STRUCTURAL SLOPED METAL DECK
- 5" THICK RIGID INSULATION WITH CRICKET AND SADDLES APPLIED TO SUBSTRATE TO ACHIEVE A MIN. 1/4" PER 1'-0" SLOPE .
- EPDM MEMBRANE.

B. EXHAUST HOOD ROOF CURB. REFER TO DETAIL ON SHEET A-500.

C. ROOF HATCH. REFER TO DETAIL ON SHEET A-500.

D. PIPE PENETRATION. REFER TO DETAIL ON SHHET A-500.

E. PARAPET WALL. REFER TO DETAIL ON SHEET A-500.

F. ROOF SCUPPER, CONDUCTOR BOX, AND DOWNSPOUT. REFER TO DETAIL ON SHEET A-500.

G. SKYLIGHT. REFER TO DETAILS ON SHEET A-621.

H. DOOR CANOPY. REFER TO DETAILS ON SHEET A-510.

I. HIGH POINT IN ROOF.

LEED REQUIRMENT:

ROOF AREA: 123,251 SF
WHITE EPDM AREA (SRI 84): 123,251 SF



PLAN NORTH

1 / A-130 ROOF PLAN
1" = 20'-0"
0 10' 20' 40' 60'

1 / A-300

2 / A-300



KEY PLAN

ARCHITECTURAL A-130-

US Army Corps of Engineers ®
FT WORTH DISTRICT

MARK	DESCRIPTION	DATE	APPR.

DESIGN BY: MJB	ISSUE DATE: APRIL 26, 2013
DRAWN BY: MJB	CKD BY: MKP	SOLICITATION NO.: -
SBMT BY: MJM	PLOT DATE: 8/26/2014 3:55:19 PM	CONTRACT NO.: W912BG-11-D-0034-0004
PLOT SCALE: 1 = 20'-0"	FILE NUMBER:
SIZE: 22" X 34"	FILE NAME:

US ARMY CORPS OF ENGINEERS
FT WORTH DISTRICT
TEXAS

TENG
205 N MICHIGAN AVE.
SUITE 3800
CHICAGO, IL 60601
T 312.616.7500
www.tengeng.com
PROJ NO: C4-090102A-40
exp federal

CENTRAL ISSUE FACILITY STD DESIGN
CIF - LARGE
CLIMATE ZONE 6A
ARCHITECTURAL
ROOF PLAN

SHEET IDENTIFICATION
A-130
SHEET OF 0



4 A-200 NORTH ELEVATION
1" = 20'-0"



3 A-200 WEST ELEVATION
1" = 20'-0"



2 A-200 SOUTH ELEVATION
1" = 20'-0"



1 A-200 EAST ELEVATION
1" = 20'-0"

GENERAL NOTES:

1. REFER TO ALL OTHER CONTRACT DOCUMENTS FOR ASSOCIATED WORK AND COORDINATION
2. FINAL BUILDING FINISHES TO BE COORDINATED AND APPROVED BY BASE ARCHITECT.

KEYNOTES:

- A METAL COPING. FINAL FISH TO BE COORDINATED.
- B CANOPY. FINAL FINISH TO BE COORDINATED.
- C DOWNSPOUT. FINAL FINISH TO BE COORDINATED.
- D MECHANICAL LOUVER. FINAL FINISH TO BE COORDINATED. REFER TO SHEET A-621 FOR SIZES.
- E EXTERIOR LIGHT FIXTURE.
- F MECHANICAL YARD. REFER TO SHEET AS400.
- G SHAKEDOWN AREA CANOPY. REFER TO SHEET AS400.
- H MECHANICAL UNIT. REFER TO MECHANICAL CONTRACT DOCUMENTS.
- I LOADING DOCK AND RAMP AREA. REFER TO SHEET AS420 AND A-312 FOR DETAILS.
- J SOLAR WALL. REFER TO ARCHITECTURAL AND MECHANICAL CONTRACT DOCUMENTS FOR DETAILS.

US Army Corps of Engineers ®
FT WORTH DISTRICT

MARK | DESCRIPTION | DATE | APPR

ISSUE DATE: APRIL 26, 2013
SOLICITATION NO.: -
CONTRACT NO.: W9126G-11-D-0034-0004
FILE NUMBER:
DESIGN BY: MJB
DRAWN BY: MJB
CKD BY: MKP
SBMT BY: MJM
PLOT DATE: 8/26/2014 3:35:39 PM
PLOT SCALE: 1" = 20'-0"
SIZE: 22" x 34"
FILE NAME:

US ARMY CORPS OF ENGINEERS
FT WORTH DISTRICT
TEXAS

TENG
205 N MICHIGAN AVE.
SUITE 3800
CHICAGO, IL 60601
T: 312.616.7500
www.exp.federal.com
PROJ NO: CHI-00016254-A0

CENTRAL ISSUE FACILITY STD DESIGN
CIF - LARGE
CLIMATE ZONE 6A
ARCHITECTURAL
OVERALL ELEVATIONS

SHEET IDENTIFICATION
A-200
SHEET OF 0

ARCHITECTURAL A-200-



2 A-201 EAST ELEVATION - ENTRY
1/4" = 1'-0"



1 A-201 SOUTH ELEVATION - PARTIAL
1/4" = 1'-0"

8 6 4 2 0 8 16
SCALE: 1/8"=1'-0"

US Army Corps of Engineers ®
FT WORTH DISTRICT

MARK	DESCRIPTION	DATE	APPR

ISSUE DATE: APRIL 26, 2013
SOLICITATION NO.: -
CONTRACT NO.: W912GG-11-D-0034-0004
FILE NUMBER:
DESIGN BY: MJB
DRAWN BY: MJB
CKD BY: MKP
SBMT BY: MJM
PLOT DATE: 8/26/2014 3:35:41 PM
PLOT SCALE: 1/4" = 1'-0"
SIZE: 22" x 34"
FILE NAME:

US ARMY CORPS OF ENGINEERS
FT WORTH DISTRICT
TEXAS

TENG
205 N MICHIGAN AVE.
SUITE 3800
CHICAGO, IL 60601
T: 312.616.7500
www.exp.federal.com
PROJ NO: CH-0001825-A0

CENTRAL ISSUE FACILITY STD DESIGN
CIF - LARGE
CLIMATE ZONE 6A
ARCHITECTURAL
ENLARGED EXTERIOR
ELEVATIONS

SHEET IDENTIFICATION
A-201
SHEET OF 0

ARCHITECTURAL A-201-

FINISH SCHEDULE

Number	Name	Floor Finish	Base Finish	Wall Finish North	Wall Finish East	Wall Finish South	Wall Finish West	Ceiling Finish	Comments
101	VESTIBULE	VCT-1/ WALK OFF MAT	VB-1	PT-1	PT-1	PT-1	PT-4	GYP - PT-2	STC 42 RATING
102	RECEPTION	CPT-1	VB-2	PT-4	PT-1	PT-1	PT-1	ACT1	FRP UP TO 8'-0" AFF, STC 42 RATING
103	QUEUING / ORIENTATION	VCT-1	VB-2	PT-4	PT-1	PT-1	PT-1	ACT1	FRP UP TO 8'-0" AFF, STC 42 RATING
104	CIF MANAGER	CPT-1	VB-2	PT-4	PT-1	PT-1	PT-1	ACT1	STC 42 RATING
105	CIF ASST MANAGER	CPT-1	VB-2	PT-4	PT-1	PT-1	PT-1	ACT1	STC 42 RATING
106	ADMINISTRATION	CPT-1	VB-2	PT-1	PT-1	PT-4	PT-1	ACT1	STC 42 RATING
107	MULTIPURPOSE ROOM	CPT-1	VB-2	PT-1	PT-1	PT-1	PT-4	ACT1	STC 42 RATING
108	PROPERTY BOOK OFFICE	CPT-1	VB-2	PT-4	PT-1	PT-1	PT-1	ACT1	STC 42 RATING
109	GP STOREROOM	CPT-1	VB-2	PT-4	PT-1	PT-1	PT-1	ACT1	STC 42 RATING
110	PROPERTY SECTION ADMIN	CPT-1	VB-2	PT-1	PT-1	PT-4	PT-1	ACT1	STC 42 RATING
111	VESTIBULE	VCT-1/ WALK OFF MAT	VB-1	PT-4	PT-1	PT-1	PT-1	GYP - PT-2	STC 42 RATING
112	FINAL PROCESSING / CHECKOUT	VCT-1	VB-1	PT-1	PT-1	PT-4	PT-1	EXPOSED	FRP UP TO 8'-0" AFF, STC 42 RATING
113	ASSEMBLY / WAITING	VCT-1	VB-1	PT-1	PT-1	PT-1	PT-1	EXPOSED	FRP UP TO 8'-0" AFF, STC 42 RATING
114	VENDING	CPT-1	VB-2	PT-4	PT-1	PT-1	PT-1	GYP - PT-2	STC 42 RATING
115	TEAM ROOM	CPT-1	VB-2	PT-1	PT-1	PT-1	PT-4	ACT1	STC 42 RATING
116	LACTATION ROOM	VCT-1	VB-1	PT-1	PT-1	PT-1	PT-4	ACT1	STC 42 RATING
117	MEN RR - STAFF	CT-1	CT-1	CT-3	CT-2	CT-3	CT-3	GYP - PT-2	STC 42 RATING
118	WOMEN RR - STAFF	CT-2	CT-4	CT-5	CT-6	CT-5	CT-5	GYP - PT-2	STC 42 RATING
119	BREAK ROOM	VCT-1	VB-1	PT-4	PT-1	PT-1	PT-4	ACT1	STC 42 RATING
120	CLOSET	VCT-1	VB-1	PT-1	PT-1	PT-1	PT-1	ACT1	STC 42 RATING
121	RECORDS HOLDING	CPT-1	VB-2	PT-1	PT-1	PT-1	PT-1	ACT1	STC 42 RATING
122	CARTS	VCT-1	VB-1	PT-1	PT-1	PT-1	PT-1	GYP - PT-2	STC 42 RATING
123A	FITTING	VCT-1	VB-1	PT-1	PT-1	PT-1	PT-1	GYP - PT-2	STC 42 RATING
123B	FITTING	VCT-1	VB-1	PT-1	PT-1	PT-1	PT-1	GYP - PT-2	STC 42 RATING
123C	FITTING	VCT-1	VB-1	PT-1	PT-1	PT-1	PT-1	GYP - PT-2	STC 42 RATING
123D	FITTING	VCT-1	VB-1	PT-1	PT-1	PT-1	PT-1	GYP - PT-2	STC 42 RATING
123E	FITTING	VCT-1	VB-1	PT-1	PT-1	PT-1	PT-1	GYP - PT-2	STC 42 RATING
123F	FITTING	VCT-1	VB-1	PT-1	PT-1	PT-1	PT-1	GYP - PT-2	STC 42 RATING
123G	FITTING	VCT-1	VB-1	PT-1	PT-1	PT-1	PT-1	GYP - PT-2	STC 42 RATING
124	JAN	VCT-1	VB-1	PT-1	PT-1	PT-1	PT-1	GWB - PT-2	STC 42 RATING
125	MEN RR - VISITOR	CT-1	CT-1	CT-3	CT-2	CT-3	CT-3	EXPOSED	STC 42 RATING
126	TELE CLOSET	VCT-1	VB-1	PT-1	PT-1	PT-1	PT-1	EXPOSED	STC 42 RATING
127	WOMEN RR - VISITOR	CT-4	CT-4	CT-5	CT-6	CT-5	CT-5	GYP - PT-2	STC 42 RATING
128	ISSUE / TURN-IN	VCT-1	VB-1	PT-1	PT-4	PT-1	PT-1	EXPOSED	FRP UP TO 8'-0" AFF, STC 42 RATING
129	PASS-THRU	VCT-1	VB-1	PT-1	PT-1	PT-1	PT-1	ACT1	STC 42 RATING
130	CORRIDOR	CPT-1	VB-1	PT-1	PT-1	PT-1	PT-1	ACT1	STC 42 RATING
131	ISSUE / TURN-IN SUPPORT	VCT-1	VB-1	PT-1	PT-1	PT-1	PT-4	ACT1	FRP UP TO 8'-0" AFF, STC 42 RATING
132	SPECIAL MOS/TURN-IN/ISSUE	VCT-1	VB-1	PT-1	PT-1	PT-1	PT-4	ACT1	STC 42 RATING
133	ELECTRIC ROOM	SC-1	VB-1	PT-1	PT-1	PT-1	PT-1	EXPOSED	
134	TER	SC-1	VB-1	PT-1	PT-1	PT-1	PT-1	EXPOSED	
135	MECHANICAL ROOM	SC-1	VB-1	PT-1	PT-1	PT-1	PT-1	EXPOSED	
136	FIRE PROTECTION	SC-1	VB-1	PT-1	PT-1	PT-1	PT-1	EXPOSED	
137	SECURE STORAGE	SC-1	VB-1	PT-1	PT-1	PT-1	PT-1	GYP - PT-2	
138	REPAIR	SC-1	VB-1	PT-1	PT-1	PT-1	PT-1	ACT1	STC 42 RATING
139	CLASSIFICATION	SC-1	VB-1	PT-1	PT-1	PT-1	PT-1	ACT1	STC 42 RATING
140	WAREHOUSE OFFICE	SC-1	VB-1	PT-1	PT-4	PT-1	PT-1	ACT1	STC 42 RATING
141	TR	SC-1	VB-1	PT-1	PT-1	PT-1	PT-1	GYP - PT-2	
142	GP STOREROOM	SC-1	VB-1	PT-1	PT-1	PT-1	PT-1	GYP - PT-2	STC 42 RATING
143	RECYCLE / STORAGE	SC-1	VB-1	PT-1	PT-1	PT-1	PT-1	GYP - PT-2	STC 42 RATING
144	TOILET	SC-1	VB-1	PT-4	PT-1	PT-1	PT-1	GYP - PT-2	STC 42 RATING
145	WAREHOUSE SUPERVISOR	SC-1	VB-1	PT-4	PT-1	PT-1	PT-1	ACT1	STC 42 RATING
146	SHIPPING / RECIEVING	SC-1	-	-	-	-	-	EXPOSED	
146A	KITTING AREA 1	SC-1	-	-	-	-	-	EXPOSED	
146B	KITTING AREA 2	SC-1	-	-	-	-	-	EXPOSED	
146C	FORKLIFT CHARGING	SC-1	-	-	-	-	-	EXPOSED	
147	WAREHOUSE STORAGE	SC-1	-	-	-	-	-	EXPOSED	
148	TR	SC-1	VB-1	PT-1	PT-1	PT-1	PT-1	GYP - PT-2	
149	TR	SC-1	VB-1	PT-1	PT-1	PT-1	PT-1	GYP - PT-2	
150	RFI	SC-1	-	-	-	-	-	EXPOSED	

FINISH MATERIAL LIST

SYMBOL	MATERIAL	MANUFACTURER	PRODUCT NO./COLOR	REMARKS
PT-1	PAINT	BENJAMIN MOORE	844 ALOE VERA	EGGSHELL FINISH
PT-2	PAINT	BENJAMIN MOORE	OC-65 CHANTILLY LACE	FLAT FINISH ON CEILING, SEMI-GLOSS FOR TRIM
PT-3	PAINT	BENJAMIN MOORE	1481 HALF MOON CREST	SEMI-GLOSS FINISH
PT-4	PAINT	BENJAMIN MOORE	STEM GREEN 2029-40	SATIN FINISH
PLAM-1 PLAM-1	PLASTIC LAMINATE	WILSONART	WINDSWEPT PEWTER 4795-60	HORIZONTAL SURFACES
PLAM-2	PLASTIC LAMINATE	WILSONART	ASIAN NIGHT 7949K-18	VERTICAL SURFACES
CPT-1	CARPET	SHAW	PRISMA TILE 59463 OPAQUE BLACK 63500	INSTALL IN RANDOM PATTERN
VB-1	VINYL WALL BASE	ROPPE	616 PLATINUM	4" HIGH, STANDARD TOE
VB-2	VINYL WALL BASE	ROPPE	616 PLATINUM	4" HIGH, NO TOE
VCT-1	VINYL FLOOR TILE	DECORIA NATURELLE	ARGENTO DT-5904	17.5"x17.5"
VCT-2	VINYL FLOOR TILE	ROPPE	#753 STRATUS BLUE	12"x12"
CT-1	CERAMIC FIELD FLOOR TILE	DALTILE	NATURAL HUES MIST QH15	2"x8", INSTALL IN STAGGERED BRICKWORK PATTERN
CT-2	CERAMIC FIELD FLOOR TILE	DALTILE	NATURAL HUES AZURE QH44	3"x6", INSTALL IN STAGGERED BRICKWORK PATTERN
CT-3	CERAMIC FIELD FLOOR TILE	DALTILE	NATURAL HUES ATLANTIS QH43	4"x4", INSTALL IN GRID PATTERN
CT-4	CERAMIC FIELD FLOOR TILE	DALTILE	NATURAL HUSE PEARL WHITE QH63	3"x3", INSTALL IN GRID PATTERN
CT-5	CERAMIC FIELD FLOOR TILE	DALTILE	NATURAL HUES CARNATION QH48	4"x8", INSTALL IN STAGGERED BRICKWORK PATTERN
CT-6	CERAMIC FIELD FLOOR TILE	DALTILE	NATURAL HUES KIWI QH30	1"x1", INSTALL IN GRID PATTERN
SS-1	SOLID SURFACE COUNTERTOPS	DUPONT ZODIAC	WINTER GREEN	
SS-2	SOLID SURFACE COUNTERTOPS	DUPONT ZODIAC	CALM SPRING	
WM-1	WALK OFF MAT	PAWLING	RGA-200/RGF-200 RAIL ALUMINUM ALLOY #6063	
CG-1	CORNERGUARD	PAWLING	2" STAINLESS STEEL CG-51	
CR-1	CRASH RAIL	PAWLING	PRO-TEK CRS-200 #4 SATIN FINISH	
ACT-1	ACOUSTIC CEILING TILE	ARMSTRONG	ULTIMA BEVELED TEGULAR	24"x24" WITH 9/16" GRID

US Army Corps of Engineers ®
FT WORTH DISTRICT

MARK	DESCRIPTION	DATE	APPR.

ISSUE DATE: APRIL 26, 2013
SOLICITATION NO.: -
CONTRACT NO.: W912BG-11-D-0034-0004
FILE NUMBER:
DESIGN BY: MJB
DRAWN BY: MJB
CKD BY: MKP
SBMT BY: MJM
PLOT DATE: 8/26/2014 3:35:42 PM
PLOT SCALE:
SIZE: 22" x 34"
FILE NAME:

US ARMY CORPS OF ENGINEERS
FT WORTH DISTRICT
TEXAS

TENG
exp federal
205 N MICHIGAN AVE.
SUITE 3800
CHICAGO, IL 60601
T: 312.616.7500
www.exponfed.com
PROJ NO: CHI-00031054-A0

CENTRAL ISSUE FACILITY STD DESIGN
CIF - LARGE
CLIMATE ZONE 6A
INTERIOR
FINISH SCHEDULE

SHEET IDENTIFICATION
I-100
SHEET OF 0